NEW PHYSICAL PACKET

	Barnegat High	Plea School Robert I	L. Horbelt School	ckma	an Middle School	
I. Student Information	A.T.E.S		ng Arts Academy	y	Home Schoole	ed in the second of the second
	(Please comple	te this section.)	V	Ham	na Dhamar	STATE OF THE STATE
Name:	First		Middle		ne Phone: ergency Contact:	
Address:				+	ergency Phone:	
Street		Town, State	Zip			
Are you a transfer student	?□ Yes□ No	o If yes, date	of transfer:		Previous school:	
Date of Birth:		Sex: M	F City and S	tate c	of Birth:	
Sport by Season:	C.	Grade (Sent	2023)	1 00	e as of August 31, 2023	
Fall: Winter:	Spring:	Grade (Sept.	2023).	Age	as of August 51, 2025	
II. Eligibility Informati	tion (This section	on is filled out by	the school.)			
Declared Eligible by:	Date	Signature	Comments			
Guidance					Credits Previous Year:	Credits 1st Semester:
					(Fall/Winter Seasons)	(Spring Season)
Medical Physical Date: Athletic Office Principal III. Barnegat Township Parental Permission (Please read and complete this section.) 1. I give my son/daughter permission to participate in the interscholastic sport of 2. I understand Russell O. Brackman Middle School students must meet District Policy 2430 criteria to be eligible to participate. I understand Barnegat High School students must meet NJSIAA eligibility requirements to participate. 3. I recognize that my son/daughter must have a comprehensive medical examination by the Medical Home recorded on the appropriate form principals.						
Principal						
III. Barnegat Townshi	p Parental P	ermission (P	lease read and con	nplete	this section.)	
I understand Russell O. Brac I understand Barnegat High S	school students must have a come. In addition, a come forms must be signed so, remuneration, rectors. In addition, a composition of the signed so, remuneration, rectors. Interscholastic spot by my personal stand that I am liable surance if a health sion and/or distribution and/or distribution and surance if a health sion and surance if a health surance if a h	ool students must must meet NJSIAA e comprehensive med omprehensive med omprehensive mediembursement or an orts injury to my coor group insurance program ution (in or out of ic beverages, tobacon inebriation, exception altering substance program in the program of the program in the program is inclusion to use he courselves inclusion of a "care even with the best lity, paralysis or even in the program in the program in the program is inclusion of a "care even with the best lity, paralysis or even in the program is inclusion of a "care even with the best lity, paralysis or even in the program is inclusion of a "care even with the best lity, paralysis or even in the program is inclusion of a "care even with the best lity, paralysis or even in the program is inclusion."	neet District Policy 24 ligibility requirement dical examination by ical history, recorded ing physician and file by other expenses in child, medical bills we are eligible for collibility remaining after a does not cover my second bills remaining after a does not cover my second bills remaining after a does not cover my second bills remaining after a does not cover my second any form, anabottement, stupification incess used for purpose has been granted. Vicance abuse.	s to pa the Me on the d with case of ill be s verage the ab on/dau ical su ical su colic sta or day es other olation Realiz the modge/und	teria to be eligible to participate. Edical Home recorded on the appropriate form, must account the health office. I personal injury in conduct of the bove procedures have been considered to make the bove procedures have been considered to the process of the brain or nervour than the treatment of illness of this policy by any stude that such activity involves the protective equipment and derstand this warning.	appropriate form prior to ompany the student/athlete of the sport program and in company first. Only those in insurance policy up to carried out. It is suggested of the prohibited. Chemical substances, any chemical ous system, as defined by s, any prescription or over ent will invoke immediate wes the potential for injury
DATE:			Signature o	f Parer	nt/Guardian	
DATE:			Signati	ure of S	Student	

Barnegat Athletic Code of Conduct

The following model athletic code of conduct is promulgated in accordance with the provisions of P.L. 2002, chapter 74. **Preamble:**

Interscholastic and youth sports programs play an important role in promoting the physical, social and emotional development of children. It is therefore essential for parents, coaches and officials to encourage youth athletes to embrace the values of good sportsmanship and should lead by example by demonstrating fairness, respect and self-control.

Sportsmanship and sportsman like conduct shall be defined as demonstrating fairness and respect for one's opponent and being gracious whether winning or losing. I therefore pledge to be responsible for my words and actions while attending, coaching, officiating or participating in a youth sports event and shall conform my behavior to the following code of conduct:

- I will not engage in unsportsmanlike conduct with any coach, parent, player, participant, official or any other attendee.
- 2. I will not encourage my child, or any other person, to engage in unsportsmanlike conduct with any coach, parent, player, participant, official or any other attendee
- 3. I will not engage in any behavior which would endanger the health, safety or well-being of any coach, parent, player, participant, official or any other attendee.
- 4. I will not encourage my child, or any other person, to engage in any behavior which would endanger the health, safety or well-being of any coach, parent, player, participant, official or any other attendee.
- 5. I will not use drugs or alcohol while at a youth sports event and will not attend, coach, officiate or participate in a youth sports event while under the influence of drugs or alcohol.
- 6. I will not permit my child, or encourage any other person, to use drugs or alcohol at a youth sports event and will not permit my child, or encourage any other person, to attend, coach, officiate or participate in a youth sports event while under the influence of drugs or alcohol.
- 7. I will not engage in the use of profanity.
- 8. I will not encourage my child, or any other person, to engage in the use of profanity.
- 9. I will treat any coach, parent, player, participant, official or any other attendee with respect regardless of race, creed, color, national origin, sex, sexual orientation or ability.
- 10. I will encourage my child to treat any coach, parent, player, participant, official or any other attendee with respect regardless of race, creed, color, national origin, sex, sexual orientation or ability.
- 11. I will not engage in verbal or physical threats of abuse aimed at any coach, parent, player, participant, official or any other attendee.
- 12. I will not encourage my child, or any other person to engage in verbal or physical threats or abuse aimed at any coach, parent, player, participant, official or any other attendee.
- 13. I will not initiate a fight or scuffle with any coach, parent, player, participant, official or any other attendee.
- 14. I will not encourage my child, or any other person, to initiate a fight or scuffle with any coach, parent, player, participant, official or any other attendee.

I hereby agree that if I fail to conform my conduct to the foregoing while attending, coaching, officiating or participating in a youth sports event I will be subject to disciplinary action, including but not limited to the following in any order or combination:

- 1. Verbal warning issued by a league, organization or school official.
- 2. Written warning issued by a league, organization or school official.
- 3. Suspension or immediate ejection from a youth sports event issued by a league, organization or school official who is authorized to issue such suspension or election by a school board or youth sports organization.
- 4. Suspension from multiple youth sports events issued by a league, organization or school official who is authorized to issue such suspension by a school board or youth sports organization.
- 5. Season suspension or multiple season suspension issued by a school board or youth sports organization.

PRINT MOTHER'S NAME	MOTHER'S SIGNATURE
PRINT FATHER'S NAME	FATHER'S SIGNATURE
PRINT STUDENT'S NAME	DATE

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute
 annually this educational fact to all student athletes and obtain a signed acknowledgement from each
 parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the
 prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic
 student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Ouick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- **Report it**. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms, next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and studentathlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

For further information on Sports-Related C www.cdc.gov/concussion/sports/inc www.ncaa.org/health-safety		lnjuries, please visit: www.nfhs.com www.atsnj.org		
Signature of Student-Athlete	Print Student-A	thlete's Name		Date
Signature of Parent/Guardian	Print Parent/Gua	ırdian's Name	-	Date



1161 Route 130, P.O. Box 487, Robbinsville, NJ 08691

609-259-2776 609-259-3047-Fax

NJSIAA STEROID TESTING POLICY CONSENT TO RANDOM TESTING

In Executive Order 72, issued December 20, 2005, Governor Richard Codey directed the New Jersey Department of Education to work in conjunction with the New Jersey State Interscholastic Athletic Association (NJSIAA) to develop and implement a program of random testing for steroids, of teams and individuals qualifying for championship games.

Beginning in the Fall, 2006 sports season, any student-athlete who possesses, distributes, ingests or otherwise uses any of the banned substances on the attached page, without written prescription by a fully-licensed physician, as recognized by the American Medical Association, to treat a medical condition, violates the NJSIAA's sportsmanship rule, and is subject to NJSIAA penalties, including ineligibility from competition. The NJSIAA will test certain randomly selected individuals and teams that qualify for a state championship tournament or state championship competition for banned substances. The results of all tests shall be considered confidential and shall only be disclosed to the student, his or her parents and his or her school. No student may participate in NJSIAA competition unless the student and the student's parent/guardian consent to random testing.

By signing below, we consent to random testing in accordance with the NJSIAA steroid testing policy. We understand that, if the student or the student's team qualifies for a state championship tournament or state championship competition, the student may be subject to testing for banned substances.

Signature of student-Athlete	Print Student-Athlete's Name	Date
Signature of parent/guardian	Print Parent/Guardian's Name	Date

Website Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics **New Jersey Chapter**

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619

(p) 609-842-0014 (f) 609-842-0015

www.aapnj.org

American Heart Association

I Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020

New Jersey Department of Education www.heart.org

www.state.nj.us/education/ Trenton, NJ 08625-0500 (p) 609-292-5935 PO Box 500



New Jersey Department of Health

P.O. Box 360

Trenton, NJ 08625-0360 (p) 609-292-7837

N. Health

www.state.nj.us/health



Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD **New Jersey Chapter**

NJ Academy of Family Practice, Pediatric Cardiologists Additional Reviewers: NJ Department of Education, American Heart Association/New Jersey Chapter, NJ Department of Health and Senior Services, New Jersey State School Nurses

Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD Lakota Kruse, MD, MPH; Susan Martz, EdM; Christene DeWitt-Parker, MSN, CSN, RN; Revised 2014: Nancy Curry, EdM;



Sudden Cardiac Death The Basic Facts on in Young Athletes







American Heart Association Learn and Live



SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

udden death in young athletes between the ages of 10 done to prevent this kind of What, if anything, can be and 19 is very rare. tragedy?

What is sudden cardiac death in the young athlete?

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the pumping adequately, the athlete quickly result of an unexpected failure of proper is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

How common is sudden death in young

Sudden cardiac death in young athletes is The chance of sudden death occurring to any individual high school athlete is reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups Sudden cardiac death is more

disease," which may lead to a heart

What are the most common causes?

by one of several cardiovascular abnormalities roo-LAY-shun). The problem is usually caused ventricular fibrillation (ven-TRICK-you-lar fib-Research suggests that the main cause is a and electrical diseases of the heart that go oss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. neart to quiver instead of pumping

muscle, which can cause serious heart rhythm also called HCM. HCM is a disease of the heart, The most common cause of sudden death in problems and blockages to blood flow. This (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) an athlete is hypertrophic cardiomyopathy genetic disease runs in families and usually with abnormal thickening of the heart develops gradually over many years.

blood vessels are connected to (commonly called "coronary artery arteries. This means that these heart in an abnormal way. This differs from blockages that may The second most likely cause is congenital the main blood vessel of the occur when people get older abnormalities of the coronary (con-JEN-it-al) (i.e., present from birth)

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing)

at are the current recommendations

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a beart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting events?

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

N.J.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any schoolsponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
- A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 1½ minute walk from any location and that a call is made to activate 911 emergency system while the AED is being

State of New Jersey DEPARTMENT OF EDUCATION

Sudden Cardiac Death Pamphlet Sign-Off Sheet

Name of School District:
Name of Local School:
I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet.
Student Signature:
Parent or Guardian Signature:
Date:



BARNEGAT TOWNSHIP SCHOOL DISTRICT

550 BARNEGAT BOULEVARD NORTH BARNEGAT, NEW JERSEY 08005 (609) 698-5800 FAX (609) 660-5974

Dr. Brian LatwisSuperintendent of Schools

Stephen J. Brennan, MBA, CPA
Business Administrator/Board Secretary

Dear Parent or Guardian:

This information will assist you with any medical care your child may need due to an injury. BMI BENEFITS, LLC, is the school insurance company however, your personal insurance carrier is primary and BMI BENEFITS will provide coverage on an **EXCESS BASIS only**. This means that only those medical expenses, that are NOT payable by your own personal or group insurance, are eligible for reasonable and customary coverage under this policy.

In the event of an injury or accident that requires medical attention, if you do not have any personal insurance and you will be using BMI BENEFITS as your primary carrier please call them immediately to report the claim at 800-445-3126.

A copy of the Student Accident Report is attached for your information. Should you need to file a claim with BMI BENEFITS Insurance, please download and complete the **Student Accident Claim Form**, which can be found on our School Website at www.Barnegatschools.com. YOU DO NOT HAVE TO WAIT FOR ANY BILLS OR EXPLANATION OF BENEFITS TO COMPLETE and SUMIT THE FORM TO BMI. Once logged onto the District website, please click on the "Departments and Programs" link, which is located on the top tool bar, a headings menu will appear at this point you could either click on the "Athletics" link or the "Nurses" link where you will find the link "Student Accident Claim Packet", where the Student Accident Claim form is located. Download the form and open in with Adobe Reader to input the information. Upon completion of the form, please contact Mary Knudsen at the Board of Education Office in order to obtain the required School Official signature. Mary can be reached at 609-698-5800 Ext. 11105 or by email at mknudsen@barnegatschools.com.

All claims must be mailed to BMI, Benefits within <u>90 days</u> of the date of the accident. If you do not have your own personal insurance, please let BMI BENEFITS know when you call and they will work with you to get providers who will accept negotiated rates. If you go to a non-network provider, whose rates are higher than reasonable and customary for our geographic area, insurance may not cover the entire cost and you would be liable for the unpaid residual.

Thank you,

Mary Knudsen

Mary Knudsen Administrative Assistant

LL:mk Enclosure

Cc: Stephen Brennan, Board Secretary/

Business Administrator





Concussion Information Steroid Testing Information Sudden Cardiac Death Information School Injury Insurance Information

I have received and read the information contained in the Athletic Eligibility Packet pertaining to Concussions, Steroid Testing, Sudden Cardiac Death in Athletics and School Injury Insurance Information. I understand that this information has been distributed in compliance with the NJSIAA guidelines and New Jersey State Law.

Student Name	Grade	Sport
	Parent Signature	Date



Unfortunately, sports activities may also lead to injury and, in rare cases, result in pain that is severe or long-lasting enough to require a prescription opioid painkiller. It is important to understand that overdoses from opioids are on the rise and are killing Americans of all

this epidemic.2

This educational fact sheet, created by the New Jersey Department of Education as required by state law (N.J.S.A. 18A:40-41.10), provides information concerning the use and misuse of opioid drugs in the event that a health care provider prescribes a studentathlete or cheerleader an opioid for a sports-related injury. Student-athletes and cheerleaders participating in an interscholastic sports program (and their parent or quardian, if the student is under age 18) must provide their school district written acknowledgment of their receipt of this fact sheet.

How Do Athletes Obtain Opioids?

In some cases, student-athletes are prescribed these medications. According to research, about a third of young people studied obtained pills from their own previous prescriptions (i.e., an unfinished prescription used outside of a physician's supervision), and 83 percent of adolescents had unsupervised access to their prescription medications.3 It is important for parents to understand the possible hazard of having unsecured prescription medications in their households. Parents should also understand the importance of proper storage and disposal of medications, even if they believe their child would not engage in non-medical use or diversion of prescription medications.

What Are Signs of Opioid Use?

According to the National Council on Alcoholism and Drug Dependence, 12 percent of male athletes and 8 percent of female athletes had used prescription opioids in the 12-month period studied.3 In the early stages of abuse, the athlete may exhibit unprovoked nausea and/or vomiting. However, as he or she develops a tolerance to the drug, those signs will diminish. Constipation is not uncommon, but may not be reported. One of the most significant indications of a possible opioid addiction is an athlete's decrease in academic or athletic performance, or a lack of interest in his or her sport. If these warning signs are noticed, best practices call for the student to be referred to the appropriate professional for screening, 4 such as provided through an evidence-based practice to identify problematic use, abuse and dependence on illicit drugs (e.g., Screening, Brief Intervention, and Referral to Treatment (SBIRT)) offered through the New Jersey Department of Health.


What Are Some Ways Opioid Use and **Misuse Can Be Prevented?**

According to the New Jersey State Interscholastic Athletic Association (NJSIAA) Sports Medical Advisory Committee chair, John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

According to NJSIAA Sports Medical Advisory Committee chair John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

The Sports Medical Advisory Committee, which includes representatives of NJSIAA member schools as well as experts in the field of healthcare and medicine, recommends the following:

- The pain from most sports-related injuries can be managed with non-narcotic medications such as acetaminophen, nonsteroidal anti-inflammatory medications like ibuprofen, naproxen or aspirin. Read the label carefully and always take the recommended dose, or follow your doctor's instructions. More is not necessarily better when taking an over-the-counter (OTC) pain medication, and it can lead to dangerous side effects.
- Ice therapy can be utilized appropriately as an anesthetic.
- Always discuss with your physician exactly what is being prescribed for pain and request to avoid narcotics.
- In extreme cases, such as severe trauma or post-surgical pain, opioid pain medication should not be prescribed for more than five days at a time;
- Parents or quardians should always control the dispensing of pain medications and keep them in a safe, non-accessible location; and
- Unused medications should be disposed of immediately upon cessation of use. Ask your pharmacist about drop-off locations or home disposal kits like Deterra or Medsaway.






STATE OF NEW JERSEY DEPARTMENT OF HEALTH

N\$SIAA

NISIAA SPORTS MEDICAL **ADVISORY COMMITTEE**

Karan Chauhan Parsippany Hills High School, Permanent Student Representative New Jersey State Board of Education



Even With Proper Training and Prevention, Sports Injuries May Occur

There are two kinds of sports injuries. Acute injuries happen suddenly, such as a sprained ankle or strained back. Chronic injuries may happen after someone plays a sport or exercises over a long period of time, even when applying overuse-preventative techniques.5

Athletes should be encouraged to speak up about injuries, coaches should be supported in injury-prevention decisions, and parents and young athletes are encouraged to become better educated about sports safety.6

What Are Some Ways to Reduce the Risk of Injury? $^{\prime}$

Half of all sports medicine injuries in children and teens are from overuse. An overuse injury is damage to a bone, muscle, ligament, or tendon caused by repetitive stress without allowing time for the body to heal. Children and teens are at increased risk for overuse injuries because growing bones are less resilient to stress. Also, young athletes may not know that certain symptoms are signs of overuse.

The best way to deal with sports injuries is to keep them from happening in the first place. Here are some recommendations to consider:



PREPARE Obtain the preparticipation physical evaluation prior to participation on a school-sponsored interscholastic or intramural athletic team or squad.



CONDITIONING Maintain a good fitness level during the season and offseason. Also important are proper warm-up and cooldown exercises.



PLAY SMART Try a variety of sports and consider specializing in one sport before late adolescence to help avoid overuse injuries.



ADEQUATE HYDRATION Keep the body hydrated to help the heart more easily pump blood to muscles, which helps muscles work efficiently.



TRAINING Increase weekly training time, mileage or repetitions no more than 10 percent per week. For example, if running 10 miles one week, increase to 11 miles the following week. Athletes should also cross-train and perform sport-specific drills in different ways, such as running in a swimming pool instead of only running on the road.



REST UP Take at least one day off per week from organized activity to recover physically and mentally. Athletes should take a combined three months off per year from a specific sport (may be divided throughout the year in one-month increments). Athletes may remain physically active during rest periods through alternative low-stress activities such as stretching, yoga or walking.



PROPER EQUIPMENT Wear appropriate and properly fitted protective equipment such as pads (neck, shoulder, elbow, chest, knee, and shin), helmets, mouthpieces, face guards, protective cups, and eyewear. Do not assume that protective gear will prevent all injuries while performing more dangerous or risky activities.

Resources for Parents and Students on Preventing Substance Misuse and Abuse

The following list provides some examples of resources:

National Council on Alcoholism and Drug Dependence - NJ promotes addiction treatment and recovery.

New Jersey Department of Health, Division of Mental Health and Addiction Services is committed to providing consumers and families with a wellness and recovery-oriented model of care.

New Jersey Prevention Network includes a parent's guiz on the effects of opioids.

Operation Prevention Parent Toolkit is designed to help parents learn more about the opioid epidemic, recognize warning signs, and open lines of communication with their children and those in the community.

Parent to Parent NJ is a grassroots coalition for families and children struggling with alcohol and drug addiction.

Partnership for a Drug Free New Jersey is New Jersey's anti-drug alliance created to localize and strengthen drug-prevention media efforts to prevent unlawful drug use, especially among young people.

The Science of Addiction: The Stories of Teens shares common misconceptions about opioids through the voices of teens.

Youth IMPACTing NJ is made up of youth representatives from coalitions across the state of New Jersey who have been impacting their communities and peers by spreading the word about the dangers of underage drinking, marijuana use, and other substance misuse.

- References ¹ Massachusetts Technical Assistance Partnership for Prevention
 - ² Centers for Disease Control and Prevention
 - ³ New Jersey State Interscholastic Athletic
- Association (NJSIAA) Sports Medical Advisory Committee (SMAC)
- ⁴ Athletic Management, David Csillan, athletic trainer, Ewing High School, NJSIAA SMAC
- National Institute of Arthritis and Musculoskeletal and Skin Diseases
- 6 USA TODAY
- 7 American Academy of Pediatrics

An online version of this fact sheet is available on the New Jersey Department of Education's Alcohol, Tobacco, and Other Drug Use webpage. Updated Jan. 30, 2018.



180 Bengal Blvd. Barnegat, New Jersey 08005

Use and Misuse of Opioid Drugs Fact Sheet Student-Athlete and Parent/Guardian Sign-Off

In accordance with N.J.S.A. 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute this Opioid Use and Misuse Educational Fact Sheet to all student-athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader, and for students under age 18, the parent or guardian must also sign.

This sign-off sheet is due to the appropriate school personnel as determined by your district prior to the first official practice session of the spring 2018 athletic season (March 2, 2018, as determined by the New Jersey State Interscholastic Athletic Association) and annually thereafter prior to the student-athletes or cheerleader's first official practice of the school year.

Name of School:	
Name of School District (if applicable):	BARNEGAT TOWNSHIP SCHOOL DISTRICT
I/We acknowledge that we received an of Opioid Drugs.	d reviewed the Educational Fact Sheet on the Use and Misuse
Student Signature:	
Parent/Guardian Signature:	
Date:	

NEW JERSEY STATE INTERSCHOLASTIC ATHLETIC ASSOCIATION

1161 Route 130 North, Robbinsville, NJ 08691 Phone 609-259-2776 ~ Fax 609-259-3047

Memorandum

To: All Athletic Directors of Member Schools

From: Tony Maselli, Assistant Director

Date: June 2019

Re: Opioid Education Video Procedure

To All Athletic Directors:

Acting to address the increased risk of opioid abuse among high school athletes, the Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies (NJCARES) and the New Jersey State Interscholastic Athletic Association (NJSIAA) announced on February 19, 2019, a new partnership to educate student athletes and their parents/guardians on addiction risks associated with sports injuries and opioid use.

This educational initiative, spearheaded by Attorney General Gurbir Grewal and approved by the Executive Committee of the NJSIAA, is a collaborative effort to use video programming to raise awareness among high school athletes that they face a higher risk of becoming addicted to prescription pain medication than their fellow students who do not play sports.

Beginning with the 2019 fall season, we are making available to all student athletes and their parents/guardians, an educational video about the risks of opioid use as it relates to student athletes. The video will be available on August 1, 2019 and can be found on the NJSIAA website under "Athlete Wellness" which is located under the "Health & Safety tab. We are strongly encouraging student athletes and parents/guardians to watch the video as soon as it becomes available. An acknowledgement that students and their parents/guardians have watched the video will be required starting with the 2019-2020 winter season.


All member schools are asked to add to their current athletic consent forms the sign-off listed below. The sign-off acknowledgment is an NJSIAA mandate; student athletes are required to view the video only once per school year prior to the first official practice of the season in their respective sport, but the signed acknowledgment is required for each sport a student participates in. Athletes that are 18 years or older do not need the parents/guardians to watch the video.

Opioid Video is located at: https://youtu.be/3Rz6rkwpAx8

NJSIAA OPIOID POLICY ACKNOWLEDGEMENT

We have viewed the NJ CARES educational video on the risks of opioid use for high school athletes. We understand the NJSIAA policy that requires students, and their parents(s)/guardian(s) if a student is under the age of 18, to view this video and sign this acknowledgement.

Student's Signature:	Date:	
Parent/Guardian Signature:	Date:	



(Coaches please keep this form on you to reference)

STUDENT INFORMATION:	
Student Name	Date of Birth
Year in School/Grade (circle) 6	7 8 9 10 11 12
Address	
City	_Zip codePhone #
EMERGENCY CONTACT IN	NFORMATION:
Primary Contact Name	
Relationship	Primary phone#
Alternate phone #	
Name of Alternate contact person	on
Relationship	Phone #
Alternate phone #	
HEALTH CONDITIONS (CI	HECK OFF ALL THAT APPLY):
Asthma (Asthma Action Plan	must be on file with the nurse for the current school year)
Diabetes (Diabetic Medical M	anagement Care Plan must be on file with the nurse for
current school year)	
Epilepsy (Seizure Action Pla	an must be on file with the nurse for the current school year)
Food Allergies (Food Allergy	and Anaphylaxis Emergency Care Plan must be on file with
the nurse for	the current school year)
Other (please list)	
	permission for my information to be released for emergency any of my emergency contacts listed may be notified in an
Parent Signature	Date

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

ame			Date of birth		
			Sport(s)		
Medicines and Allergies: Please list all of the prescription	n and over-the-c	ounter me	edicines and supplements (herbal and nutritional) that you are currently	taking	
Do you have any allergies? ☐ Yes ☐ No If yes, ☐ Medicines ☐ Pollens	please identify s		ergy below. □ Food □ Stinging Insects		
xplain "Yes" answers below. Circle questions you don't k	now the answers	to.			
GENERAL QUESTIONS	Yes	No	MEDICAL QUESTIONS	Yes	No
Has a doctor ever denied or restricted your participation in sp			26. Do you cough, wheeze, or have difficulty breathing during or		
any reason?			after exercise?		-
 Do you have any ongoing medical conditions? If so, please idebelow: ☐ Asthma ☐ Anemia ☐ Diabetes ☐ Infection 			Nave you ever used an inhaler or taken asthma medicine? Is there anyone in your family who has asthma?		
Other:			29. Were you born without or are you missing a kidney, an eye, a testicle		
3. Have you ever spent the night in the hospital?		-	(males), your spleen, or any other organ?		-
4. Have you ever had surgery?	Voc	No	30. Do you have groin pain or a painful bulge or hernia in the groin area? 31. Have you had infectious mononucleosis (mono) within the last month?		_
EART HEALTH QUESTIONS ABOUT YOU	Yes	No	32. Do you have any rashes, pressure sores, or other skin problems?		_
5. Have you ever passed out or nearly passed out DURING or AFTER exercise?			33. Have you had a herpes or MRSA skin infection?	_	
6. Have you ever had discomfort, pain, tightness, or pressure in	your		34. Have you ever had a head injury or concussion?		
chest during exercise?			35. Have you ever had a hit or blow to the head that caused confusion,		
7. Does your heart ever race or skip beats (irregular beats) during			prolonged headache, or memory problems?		
8. Has a doctor ever told you that you have any heart problems? check all that apply:	' If so,		36. Do you have a history of seizure disorder?		
☐ High blood pressure ☐ A heart murmur			37. Do you have headaches with exercise?		_
☐ High cholesterol ☐ A heart infection ☐ Kawasaki disease Other:			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?		
Has a doctor ever ordered a test for your heart? (For example echocardiogram)	, ECG/EKG,		39. Have you ever been unable to move your arms or legs after being hit or falling?		
Do you get lightheaded or feel more short of breath than expense.	ected		40. Have you ever become ill while exercising in the heat?		
during exercise?			41. Do you get frequent muscle cramps when exercising?		_
11. Have you ever had an unexplained seizure?			42. Do you or someone in your family have sickle cell trait or disease?		_
12. Do you get more tired or short of breath more quickly than yo during exercise?	ur friends		43. Have you had any problems with your eyes or vision?	_	\vdash
HEART HEALTH QUESTIONS ABOUT YOUR FAMILY	Yes	No	44. Have you had any eye injuries?	-	\vdash
13. Has any family member or relative died of heart problems or			45. Do you wear glasses or contact lenses?	_	+
unexpected or unexplained sudden death before age 50 (incl	uding		46. Do you wear protective eyewear, such as goggles or a face shield? 47. Do you worry about your weight?	+	+-
drowning, unexplained car accident, or sudden infant death s			48. Are you trying to or has anyone recommended that you gain or		+
 Does anyone in your family have hypertrophic cardiomyopath syndrome, arrhythmogenic right ventricular cardiomyopathy, 	long QT		lose weight?		
syndrome, short QT syndrome, Brugada syndrome, or catech			49. Are you on a special diet or do you avoid certain types of foods?		
polymorphic ventricular tachycardia?		+	50. Have you ever had an eating disorder?		
15. Does anyone in your family have a heart problem, pacemake implanted defibrillator?	, 01		51. Do you have any concerns that you would like to discuss with a doctor?		
16. Has anyone in your family had unexplained fainting, unexplai	ned		FEMALES ONLY		
seizures, or near drowning?			52. Have you ever had a menstrual period?	-	
BONE AND JOINT QUESTIONS	Yes	No	53. How old were you when you had your first menstrual period?	-	
17. Have you ever had an injury to a bone, muscle, ligament, or t that caused you to miss a practice or a game?	endon		54. How many periods have you had in the last 12 months? Explain "yes" answers here		
18. Have you ever had any broken or fractured bones or dislocat	ed joints?		Explain yet another the		
19. Have you ever had an injury that required x-rays, MRI, CT sci	an,				
injections, therapy, a brace, a cast, or crutches?		-			
20. Have you ever had a stress fracture?	ray for pack				
21. Have you ever been told that you have or have you had an x- instability or atlantoaxial instability? (Down syndrome or dwa					
22. Do you regularly use a brace, orthotics, or other assistive de					
23. Do you have a bone, muscle, or joint injury that bothers you?					
24. Do any of your joints become painful, swollen, feel warm, or					
	sue disease?		1		

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HED503
9-2681/0410

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Ex	xam					
Name				Date of birt	h	
		Grade	School	Sport(s)		
36X	Aye	drade	301001	opera(o)		
1. Type	of disability					
2. Date	of disability					
3. Class	sification (if available)					
4. Cause	e of disability (birth, dis	ease, accident/trauma, other)				
5. List th	he sports you are intere	ested in playing				
					Yes	No
6. Do yo	ou regularly use a brace	e, assistive device, or prosthetic	c?			
7. Do yo	ou use any special brac	e or assistive device for sports	?			
	The state of the s	essure sores, or any other skin	problems?			
		Do you use a hearing aid?				1122
	ou have a visual impair					
-		ces for bowel or bladder functi	on?			
		comfort when urinating?				
	you had autonomic dy		hermia) or cold-related (hypothermia) illnes	2007		
	ou have muscle spastic		nerma) or cord-related (hypotherma) limes	55?		
		res that cannot be controlled by	medication?			
		es that carried be controlled by	i modeation.			
Explain "y	yes" answers here					
Please inc	dicate if you have eve	r had any of the following.				
					Yes	No
1000	xial instability	In stability			_	
-	aluation for atlantoaxial				_	
Easy blee	ed joints (more than one	3)				
Enlarged	-					
Hepatitis						
_						
LUINICUITY	nia or osteoporosis					
-	nia or osteoporosis controlling bowel					
Difficulty	nia or osteoporosis	r hands				
Difficulty Numbnes	nia or osteoporosis controlling bowel controlling bladder					
Difficulty Numbnes Numbnes	nia or osteoporosis controlling bowel controlling bladder ss or tingling in arms o					
Difficulty Numbnes Numbnes Weaknes	nia or osteoporosis y controlling bowel y controlling bladder sss or tingling in arms o ss or tingling in legs or					
Difficulty Numbnes Numbnes Weaknes Weaknes	nia or osteoporosis y controlling bowel y controlling bladder ses or tingling in arms o ses or tingling in legs or ses in arms or hands					
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c	nia or osteoporosis y controlling bowel y controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c	nia or osteoporosis or controlling bowel or controlling bladder ses or tingling in arms or ses or tingling in legs or ses in arms or hands ses in legs or feet change in coordination change in ability to walk	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c	nia or osteoporosis or controlling bowel or controlling bladder ses or tingling in arms o ses or tingling in legs or ses in arms or hands ses in legs or feet change in coordination change in ability to walk	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis or controlling bowel or controlling bladder ses or tingling in arms o ses or tingling in legs or ses in arms or hands ses in legs or feet change in coordination change in ability to walk	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet change in coordination change in ability to walk fida	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet change in coordination change in ability to walk fida	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet change in coordination change in ability to walk fida	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet change in coordination change in ability to walk fida	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet change in coordination change in ability to walk fida	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet shange in coordination shange in ability to walk fida lergy ryes" answers here	feet				
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet shange in coordination shange in ability to walk fida lergy ryes" answers here	feet	ers to the above questions are complete	and correct.		
Difficulty Numbnes Numbnes Weaknes Weaknes Recent c Recent c Spina bif Latex alle Explain ";	nia or osteoporosis r controlling bowel r controlling bladder ss or tingling in arms o ss or tingling in legs or ss in arms or hands ss in legs or feet shange in coordination shange in ability to walk fida lergy ryes" answers here	feet	ers to the above questions are complete Signature of parent/guardian	and correct.	Date	

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

Name PHYSICIAN REMINDERS 1. Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? Do you feel safe at your home or residence? Have you ever tried cigarettes, chewing tobacco, snuff, or dip? During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any other performance supplement? • Have you ever taken any supplements to help you gain or lose weight or improve your performance? Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5-14). **EXAMINATION** Height Weight ☐ Male ☐ Female Corrected □ Y □ N BP Pulse Vision R 20/ L 20/ **ABNORMAL FINDINGS** MEDICAL NORMAL · Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat Pupils equal • Hearing Lymph nodes Heart^a . Murmurs (auscultation standing, supine, +/- Valsalva) · Location of point of maximal impulse (PMI) · Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b HSV, lesions suggestive of MRSA, tinea corporis Neurologic o MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee Leg/ankle Foot/toes **Functional** · Duck-walk, single leg hop ^aConsider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. Consider GU exam if in private setting. Having third party present is recommended.

Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for □ Not cleared Pending further evaluation □ For any sports ☐ For certain sports Recommendations I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained

to the athlete (and parents/guardians).

■ PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

Cleared for all sports without restriction Cleared for all sports without restriction with recommendations for further evaluation Not cleared Pending further evaluation For any sports For certain sports Reason Recommendations Recommendations EMERGENCY INFORMATION Allergies	
Not cleared Pending further evaluation For any sports For certain sports Reason ecommendations MERGENCY INFORMATION	
Pending further evaluation For any sports For certain sports Reason Commendations MERGENCY INFORMATION	
Pending further evaluation For any sports For certain sports Reason commendations MERGENCY INFORMATION	
For any sports For certain sports Reason commendations MERGENCY INFORMATION	
Reason Commendations MERGENCY INFORMATION	
Reason commendations MERGENCY INFORMATION	
MERGENCY INFORMATION	
MERGENCY INFORMATION	
ther information	
P OFFICE STAMP	SCHOOL PHYSICIAN:
	Reviewed on(Date)
	Approved Not Approved
	Approved Not Approved
	Signature:

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71